

# Package: FoRDM (via r-universe)

May 14, 2026

**Type** Package

**Title** Forest Many-Objective Robust Decision Making ('FoRDM')

**Version** 1.0.2

**Maintainer** Marc Djahangard <marc.djahangard@ife.uni-freiburg.de>

**Description** Forest Many-Objective Robust Decision Making ('FoRDM') is a R toolkit for supporting robust forest management under deep uncertainty. It provides a forestry-focused application of Many-Objective Robust Decision Making ('MORDM') to forest simulation outputs, enabling users to evaluate robustness using regret- and 'satisficing'-based measures. 'FoRDM' identifies robust solutions, generates Pareto fronts, and offers interactive 2D, 3D, and parallel-coordinate visualizations.

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Imports** dplyr (>= 1.0.0), ggplot2 (>= 3.3.0), magrittr (>= 2.0.0), tidyrr (>= 1.1.0), rlang (>= 0.4.0), tibble (>= 3.0.0), plotly (>= 4.10.0), emoa (>= 0.5.0), RColorBrewer (>= 1.1.0), stats

**Suggests** testthat (>= 3.0.0)

**RoxygenNote** 7.3.3

**Roxygen** list(markdown = TRUE)

**Config/testthat/edition** 3

**Config/pak/sysreqs** cmake make libicu-dev libuv1-dev libssl-dev

**Repository** <https://mdjahan.r-universe.dev>

**Date/Publication** 2026-04-14 10:17:38 UTC

**RemoteUrl** <https://github.com/mdjahan/fordm>

**RemoteRef** HEAD

**RemoteSha** 2534a0354775d92f15a89b15eca7778dcc0be919

## Contents

build_fordm_table . . . . .	2
build_objectives_regret . . . . .	3
build_objectives_satisficing . . . . .	3
FoRDM . . . . .	4
fordm_analysis_regret . . . . .	5
fordm_analysis_satisficing . . . . .	6
robustness_tradeoff_analysis . . . . .	6
visualize_fordm_2d . . . . .	7
visualize_fordm_3d . . . . .	8
visualize_fordm_parcoord . . . . .	8
visualize_fordm_parcoord_management . . . . .	9

<b>Index</b>	<b>10</b>
--------------	-----------

---

build_fordm_table	<i>Build FoRDM Table</i>
-------------------	--------------------------

---

### Description

Transfers the provided data table into the format for FoRDM analysis. The columns that represent management, sow (state-of-the-world, scenarios), and time have to be defined. All other columns are treated as objectives.

### Usage

```
build_fordm_table(data, management, sow, time)
```

### Arguments

data	A data.frame containing the input data.
management	The name of the management column.
sow	The name of the state-of-the-worlds (SOW) column.
time	The name of the time column.

### Value

A list with the processed data for further use in the FoRDM analysis, including the input data, mapping for identification of columns and objective columns.

---

 build\_objectives\_regret

*Build Objectives Data Frame for Regret Analysis*


---

### Description

Specify for which objectives regret-based FoRDM analysis should be applied. For each objective, define its name, direction, weight, time aggregation method (mean, sum, min or max), and discount rate.

### Usage

```
build_objectives_regret(
  names,
  direction = rep("maximize", length(names)),
  weights = rep(1/length(names), length(names)),
  time_aggregation = rep("mean", length(names)),
  discount_rate = rep(0, length(names))
)
```

### Arguments

names	Names of objectives as the column names in the provided data.
direction	Direction of objective function: 'maximize' or 'minimize'.
weights	Relative weights (0-1) for each objective, must sum to 1.
time_aggregation	Time aggregation across objectives: 'mean', 'sum', 'min' or 'max'.
discount_rate	Annual discount rates for each objective (e.g., 0.02 means 2% per year), applied during time aggregation.

### Value

A data frame specifying objectives, directions, weights, time aggregation methods, and discount rates for use in FoRDM analysis.

---

 build\_objectives\_satisficing

*Build Objectives Data Frame for Satisficing Analysis*


---

### Description

Specify information for satisficing-based FoRDM analysis. For each objective, define its name, time aggregation method (mean, sum, min or max), discount rate, threshold and direction.

**Usage**

```

build_objectives_satisficing(
  names,
  time_aggregation = rep("mean", length(names)),
  discount_rate = rep(0, length(names)),
  threshold,
  direction = rep("above", length(names))
)

```

**Arguments**

<code>names</code>	Names of objectives as the column names in the provided data.
<code>time_aggregation</code>	Time aggregation across objectives: 'mean', 'sum', 'min' or 'max'.
<code>discount_rate</code>	Discount rates for each objective (e.g., 0.02 means 2% per time step), applied during time aggregation.
<code>threshold</code>	Numeric value(s) defining the satisficing level for each objective.
<code>direction</code>	'above' if values should meet or exceed the threshold, 'below' if they should be lower.

**Value**

A data frame specifying objectives name, time aggregation method, discount rate, threshold and direction for use in satisficing FoRDM analysis.

---

 FoRDM

---

*Forest Many-Objective Robust Decision Making (FoRDM)*


---

**Description**

This package provides a toolkit for supporting robust forest management under deep uncertainty. It provides a forestry-focused application of Many-Objective Robust Decision Making (MORDM) to forest simulation outputs, enabling users to evaluate robustness using regret- and satisficing-based measures. FoRDM identifies robust solutions, generates Pareto fronts, and offers interactive 2D, 3D, and parallel-coordinate visualizations.

**Details**

Main features:

- Create FoRDM input tables from forest simulation outputs.
- Calculate robustness measures based on Regret and Satisficing approaches.
- Visualize results using 2D, 3D, or parallel-coordinate plots.
- Explore trade-offs between robustness and performance.

**Author(s)**

Marc Djahangard <marc.djahangard@ife.uni-freiburg.de> (author, maintainer)  
 Rasoul Yousefpour (author)

**See Also**

browseVignettes(package = "FoRDM")

---

fordm\_analysis\_regret *FoRDM Regret-Based many-objective Robust Decision-Making Analysis*

---

**Description**

Performs a regret-based (Type II or cVaR) many-objective robustness analysis for the provided data and objectives, providing a optimal robust management and the Pareto front.

**Usage**

```
fordm_analysis_regret(
  fordm_table,
  objectives,
  robustness = 0.9,
  method = "regretII"
)
```

**Arguments**

fordm_table	Output from build_fordm_table().
objectives	Output from build_objectives_regret().
robustness	Numeric (0-1) specifying the quantile of regret used to define robustness, e.g., 0.9 evaluates management performance that is at least as good as in 90% of SOWs.
method	the method used to evaluate robustness <ul style="list-style-type: none"> <li>• "regretII": Regret type II (regret to best performing alternative) approach using the robustness quantile of scenario regrets.</li> <li>• "CVaR": Conditional Value at Risk, using the mean of the worst (1 - robustness) fraction of weighted regrets for risk-aware selection.</li> </ul>

**Value**

A list containing the results of the FoRDM analysis:

- optimal: The management strategy identified as most robust given the regret metrics.
- pareto\_front: The Pareto front of robust management strategies.

---

fordm\_analysis\_satisficing

*FoRDM Satisficing-Based many-objective Robust Decision-Making Analysis*

---

### Description

Performs a satisficing-based many-objective robustness analysis for the provided data and objectives, providing a optimal robust management and the Pareto front.

### Usage

```
fordm_analysis_satisficing(fordm_table, objectives, robustness = 0.9)
```

### Arguments

fordm_table	Output from build_fordm_table().
objectives	Output from build_objectives_satisficing().
robustness	Numeric (0-1) specifying the robustness level across SOWs, e.g., 0.9 evaluates management performance that meets objectives in at least 90% of SOWs.

### Value

A list containing the FoRDM analysis results:

- `optimal`: The management strategy that balances all objectives (Euclidean distance) while meeting the robustness threshold.
- `pareto_front`: The Pareto front of robust management strategies.

---

robustness\_tradeoff\_analysis

*Robustness Trade-Off Analysis (Regret-based)*

---

### Description

Analyzes what happens when you sacrifice robustness for better performance. Shows marginal benefits and losses for each objective when switching between management strategies across different robustness levels.

**Usage**

```
robustness_tradeoff_analysis(
  ford_m_table,
  objectives,
  robustness_min = 0,
  robustness_max = 1,
  robustness_step = 0.05
)
```

**Arguments**

`fordm_table` Output from `build_FoRDM_table()`.

`objectives` Output from `build_objectives_regret()`.

`robustness_min` Minimum robustness level (default: 0.0 = 0%).

`robustness_max` Maximum robustness level (default: 1.0 = 100%).

`robustness_step` Step size for robustness levels (default: 0.05 = 5%-steps).

**Value**

List containing the list of optimal managements at certain robustness levels, and a plot

---

<code>visualize_fordm_2d</code>	<i>Visualize 2D Pareto Front</i>
---------------------------------	----------------------------------

---

**Description**

Plots a 2D plot of the Pareto front of management alternatives from `FoRDM_analysis` output.

**Usage**

```
visualize_fordm_2d(analysis_output, x, y, ford_m_method)
```

**Arguments**

`analysis_output` Output list from `FoRDM_analysis_regret()` or `FoRDM_analysis_satisficing()`.

`x` Name of the objective for the x-axis (string).

`y` Name of the objective for the y-axis (string).

`fordm_method` Either "regret" or "satisficing".

**Value**

A `ggplot2` object showing the 2D Pareto front for the selected objectives.

---

visualize_fordm_3d	<i>Visualize 3D Pareto Front</i>
--------------------	----------------------------------

---

**Description**

Plots a 3D plot of the Pareto front of management alternatives from FoRDM\_analysis output.

**Usage**

```
visualize_fordm_3d(analysis_output, x, y, z, fordmethod)
```

**Arguments**

analysis_output	Output from FoRDM_analysis_regret or FoRDM_analysis_satisficing.
x	Name of the objective for the x-axis (string).
y	Name of the objective for the y-axis (string).
z	Name of the objective for the z-axis (string).
fordmethod	Either "regret" or "satisficing".

**Value**

A plotly object showing the 3D Pareto front for the selected objectives.

---

visualize_fordm_parcoord	<i>Visualize a Parallel Coordinates plot of the Pareto Front for FoRDM Analysis Results</i>
--------------------------	---

---

**Description**

Creates a parallel coordinates plot showing the Pareto front from FoRDM analysis.

**Usage**

```
visualize_fordm_parcoord(analysis_output, fordmethod)
```

**Arguments**

analysis_output	Output from fordmethod_analysis_regret() or fordmethod_analysis_satisficing().
fordmethod	Either "regret" or "satisficing".

**Value**

A parallel coordinates plot object.

---

```
visualize_fordm_parcoord_management
```

*Visualize Parallel Coordinates Plot for a single selected management across all SOWs*

---

**Description**

Creates a parallel coordinates plot showing SOW performance across objectives for a selected management strategy.

**Usage**

```
visualize_fordm_parcoord_management(  
  ford_m_table,  
  objectives,  
  ford_m_method,  
  management  
)
```

**Arguments**

ford_m_table	Output from build_ford_m_table().
objectives	Output from build_objectives_regret() or build_objectives_satisficing().
ford_m_method	Either "regret" or "satisficing".
management	Character string specifying which management to visualize.

**Value**

A parallel coordinates plot object.

# Index

`build_fordm_table`, [2](#)  
`build_objectives_regret`, [3](#)  
`build_objectives_satisficing`, [3](#)

FoRDM, [4](#)  
FoRDM-package (FoRDM), [4](#)  
`fordm_analysis_regret`, [5](#)  
`fordm_analysis_satisficing`, [6](#)

`robustness_tradeoff_analysis`, [6](#)

`visualize_fordm_2d`, [7](#)  
`visualize_fordm_3d`, [8](#)  
`visualize_fordm_parcoord`, [8](#)  
`visualize_fordm_parcoord_management`, [9](#)